

CHLOROFORM

Formula: CHCl₃

- **Formula Weight** = 119,38 g/clothes moth
- **Melting Point** = - 63,5 °C
- **Boiling Point** = 61,1 os
- **Density** = 1,4832 г/см³

CHLOROFORM “Chemically clean” stabilized TU 2631-001-29483781-04

Original appearance.....	Clear Liquid - Water White with a characteristic smell
Mass stake of basic matter, %, min.....	99,0
Mass stake of water, %, max.....	1x10 ⁻¹
Mass stake of dry remain, %, max.....	1x10 ⁻³
Mass stake of ethanol, %, max.....	0,6-1,0
Closeness at 20 °C, г/см ³	1,471-1,483
Mass stake of khlororganicheskikh admixtures, %, max.....	2x10 ⁻²
Mass stake of acids (in a count on muriatic acid), %, max.....	1x10 ⁻³
Mass stake of chlorides, %, max.....	2x10 ⁻⁴
Mass stake of free chlorine.....	test

Guarantee term of storage is 1 year

CHLOROFORM “Clean for an analysis” stabilized TU 2631-001-29483781-04

Original appearance.....	Clear Liquid - Water White with a characteristic smell
Mass stake of basic matter, %, min.....	99,0
Mass stake of water, %, max.....	1x10 ⁻¹
Mass stake of dry remain, %, max.....	1x10 ⁻³
Mass stake of ethanol, %, max.....	0,6-1,0
Closeness at 20 os, г/см ³	1,471-1,484
Mass stake of khlororganicheskikh admixtures, %, max.....	2x10 ⁻²
Mass stake of acids (in a count on muriatic acid), %, max.....	1x10 ⁻³
Mass stake of free chlorine.....	test
Mass stake of chlorides, %, max.....	5x10 ⁻⁴

Guarantee term of storage is 1 year

CHLOROFORM “Clean stabilized” TU 2631-001-29483781-04

Original appearance.....	Clear Liquid - Water White with a characteristic smell
Mass stake of basic matter, %, min.....	99,0
Mass stake of water, %, max.....	1x10 ⁻¹
Mass stake of dry remain, %, max.....	1x10 ⁻³

Mass stake of ethanol, %, max.....	0,6-1,0
Closeness at 20 °C, г/см ³	1471-1,486
Mass stake of khlororganicheskikh admixtures, %, max.....	25x10 ⁻³
Mass stake of free chlorine.....	test
Acidity in a count on HCl, % max.....	2x10 ⁻³

Guarantee term of storage is 1 year